

DECLARATION OF PERFORMANCE

No. V.004

1. Unique identification code of the product-type:

Product numbers in the attached list.

Type, batch or other identifying element:

Washbasins without overflow. Washbasins with overflow.

2. Intended use: **Personal hygiene (PH).**

3. Name, company or registered trade mark and contact address of the manufacturer under article 11 paragraph 5:

RAVAK a.s.
Obecnická 285
261 01, Příbram 1
CZECH REPUBLIC
<http://www.ravak.com>

4. Authorised representative: **not applicable**

5. System of AVCP: **System 4.**

6. Harmonised standard: **EN 14688:2006**

Notified body: ---

7. Declared performances:

Washbasins without overflow:

| Basic characteristics | Performance | Harmonised technical specifications |
|----------------------------|-------------|-------------------------------------|
| Flow rate of overflow (OF) | CL 00 | EN 14688:2006 |
| Cleanability (CA) | Pass | |
| Load resistance (LR) | Pass | |
| Durability (DA) | Pass | |

Washbasins with overflow:


| Basic characteristics | Performance | Harmonised technical specifications |
|----------------------------|-------------|-------------------------------------|
| Flow rate of overflow (OF) | CL 20 | EN 14688:2006 |
| Cleanability (CA) | Pass | |
| Load resistance (LR) | Pass | |
| Durability (DA) | Pass | |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ing. Patrik Kreysa
Commercial Director

In Příbram, June 26th 2023



Attachment to declaration of performance
No. V.004

Washbasins without overflow

| Product no. | Name / dimensions | CE marking |
|--------------------|--------------------------|------------------------------|
| XJGL1100000 | Chrome 400 L white | EN 14688 – CL00; OF-CA-LR-DA |
| XJGP1100000 | Chrome 400 R white | EN 14688 – CL00; OF-CA-LR-DA |
| XJX01140004 | Classic II 400 white | EN 14688 – CL00; OF-CA-DA |
| XJJ01110000 | Clear 1000 white | EN 14688 – CL00; OF-CA-DA |
| XJJ01180000 | Clear 800 white | EN 14688 – CL00; OF-CA-DA |
| XJL01250000 | Formy 01 500 white | EN 14688 – CL00; OF-CA-DA |
| XJL01260000 | Formy 01 600 white | EN 14688 – CL00; OF-CA-DA |
| XJM01250000 | Formy 02 500 white | EN 14688 – CL00; OF-CA-DA |
| XJM01260000 | Formy 02 600 white | EN 14688 – CL00; OF-CA-DA |
| XJN01300000 | Moon 1 white | EN 14688 – CL00; OF-CA-DA |
| XJN01300001 | Moon 1C white | EN 14688 – CL00; OF-CA-DA |
| XJN01300002 | Moon 2 white | EN 14688 – CL00; OF-CA-DA |
| XJN01300003 | Moon 2S white | EN 14688 – CL00; OF-CA-DA |
| XJN01300004 | Moon 3 white | EN 14688 – CL00; OF-CA-DA |
| XJO01212000 | Natural Duo 1200 white | EN 14688 – CL00; OF-CA-LR-DA |
| XJO01250000 | Natural 500 white | EN 14688 – CL00; OF-CA-LR-DA |
| XJO01280000 | Natural 800 white | EN 14688 – CL00; OF-CA-LR-DA |
| XJX01358000 | Solo 580 white | EN 14688 – CL00; OF-CA-DA |

Washbasins with overflow.

| Product no. | Name / dimensions | CE marking |
|--------------------|--------------------------|------------------------------|
| XJ1L1100000 | Avocado L white | EN 14688 - CL20; OF-CA-LR-DA |
| XJ1P1100000 | Avocado R white | EN 14688 - CL20; OF-CA-LR-DA |
| XJ9L1100000 | Avocado Comfort L white | EN 14688 - CL20; OF-CA-LR-DA |
| XJ9P1100000 | Avocado Comfort R white | EN 14688 - CL20; OF-CA-LR-DA |
| XJA01155000 | BeHappy II 550 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJAL1100001 | BeHappy II L white | EN 14688 - CL20; OF-CA-LR-DA |
| XJAP1100001 | BeHappy II R white | EN 14688 - CL20; OF-CA-LR-DA |
| XJX01113000 | Classic II 1300 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJX01160003 | Classic II 600 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJX01170000 | Classic II 700 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJX01180000 | Classic II 800 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJG01112000 | Chrome 1200 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJG01160000 | Chrome 600 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJG01170000 | Chrome 700 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJG01180000 | Chrome 800 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJ201160000 | Rosa II 600 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJ201176000 | Rosa II 760 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJI01155000 | 10° 550 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJI01165000 | 10° 650 white | EN 14688 - CL20; OF-CA-LR-DA |
| XJIL1155000 | 10° 550 L white | EN 14688 - CL20; OF-CA-LR-DA |
| XJIL1165000 | 10° 650 L white | EN 14688 - CL20; OF-CA-LR-DA |
| XJIP1155000 | 10° 550 R white | EN 14688 - CL20; OF-CA-LR-DA |
| XJIP1165000 | 10° 650 R white | EN 14688 - CL20; OF-CA-LR-DA |

Ing. Patrik Kreysa
Commercial Director

In Příbram, June 26th 2023

